

Technical Data Sheet

CODE 45766

VORT QBK HE SAL 315 4M

High efficiency self-supporting cabinet fans




Certifications



Technical and performance data

Frequency (Hz)	50	Weight (Kg)	31,60
Max absorbed current (A)	1,55	Max airflow (l/s)	600
Max absorbed power (W)	250	Max airflow (m³/h)	2159
Max ambient temperature for continuous operation (°C)	50	Max pressure (mmH2O)	28,30
Motor class	F	Max pressure (Pa)	277,5
Motor protection IP	55	RPM	1400
Voltage (V)	230	Sound power Lw [dB(A)]	67,00
		Sound pressure Lp [dB (A)] at 3 m	46,5

Dimensions



Size A (mm)	525
Size B (mm)	525
Size C (mm)	525
Size D (mm)	465
Size E (mm)	465
Size F (mm)	298
Size G (mm)	46
Size H (mm)	262,5
Size I (mm)	30

PER INFORMAZIONI / FOR INFORMATION

ITALY

Pre Sales:
prevendita@vortice-italy.com
After Sales:
postvendita@vortice-italy.com

UNITED KINGDOM & REP. OF

IRELAND

Sales Dept:
sales@vortice.ltd.uk
Technical Dept:
technical@vortice.ltd.uk

OTHER COUNTRIES

Sales Dept:
export@vortice-italy.com
After Sales:
after-sales@vortice-italy.com

Technical Data Sheet

CODE 45766


VORT QBK HE SAL 315 4M

High efficiency self-supporting cabinet fans



Description

Curves



Accessories



SWT 16

Code 25059



QBK-HE SAL RRC 315

Code 21451



QBK-HE GP 315

Code 21568



QBK F

Code 21413



QBK SAVIB 40

Code 21412



QBK-HE RF 315

Code 25063



QBK-HE MFL 315

Code 26863



EMC-M FTR 2.5-4.2A



PER INFORMAZIONI / FOR INFORMATION

ITALY

Pre Sales:

prevendita@vortice-italy.com

After Sales:

postvendita@vortice-italy.com

UNITED KINGDOM & REP. OF

IRELAND

Sales Dept:

sales@vortice.ltd.uk

Technical Dept:

technical@vortice.ltd.uk

OTHER COUNTRIES

Sales Dept:

export@vortice-italy.com

After Sales:

after-sales@vortice-italy.com